

# United States Patent and Trademark Office



UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Address: COMMISSIONER FOR PATENTS P.O. Box 1450 Alexandria, Virginia 22313-1450 www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO
09/700,684 01/10/2001		Claude Morin	198928US0PCT	7294
22850	7590 10/03	003	EXAMINER	
,	PIVAK, MCCLE	THOMPSON, TIMOTHY J		
1940 DUKE ALEXANDE	STREET RIA, VA 22314	ART UNIT	PAPER NUMBER	
	,		2873	

DATE MAILED: 10/03/2003

Please find below and/or attached an Office communication concerning this application or proceeding.

					ch ch				
		Applica	tion No.	Applicant(s)					
		09/700	684	MORIN ET AL.	!				
Office Action Summary			er	Art Unit					
			J Thompson	2873					
<i>Th</i> e Period for Rep	MAILING DATE of this commun	nication appears on t	he cov rsheet w	vith the corr spondence ac	idress				
THE MAILII  - Extensions of after SIX (6) I  - If the period f  - If NO period f  - Failure to rep  - Any reply rec	NED STATUTORY PERIOD F NG DATE OF THIS COMMUN f time may be available under the provision MONTHS from the mailing date of this com or reply specified above is less than thirty ( for reply is specified above, the maximum s by within the set or extended period for repl eived by the Office later than three months t term adjustment. See 37 CFR 1.704(b).	IICATION. s of 37 CFR 1.136(a). In no munication. 30) days, a reply within the s tatutory period will apply and y will, by statute, cause the a	event, however, may a tatutory minimum of thi I will expire SIX (6) MO application to become A	reply be timely filed  rty (30) days will be considered time NTHS from the mailing date of this of BANDONED (35 U.S.C. § 133).	ly. communication.				
1)⊠ Res	ponsive to communication(s) f	iled on <u>04/01/03</u> .							
2a)⊠ This	action is <b>FINAL</b> .	2b) This action	is non-final.						
3) Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under <i>Ex parte Quayle</i> , 1935 C.D. 11, 453 O.G. 213.  Disposition of Claims									
4)⊠ Claim	n(s) 22-58 is/are pending in th	e application.							
4a) O	f the above claim(s) is/s	are withdrawn from	consideration.						
5) Clain	n(s) is/are allowed.								
6)⊠ Clain	6)⊠ Claim(s) <u>22-24,27-33,38,39,46,47,52,55 and 56</u> is/are rejected.								
7)⊠ Clain	n(s) <u>25,26,34-37,40-45,48-51,</u>	<u>53,<i>54, 57, 58</i></u> is/are	objected to.						
•	n(s) are subject to restr	ction and/or election	n requirement.						
Application Pa	•								
9) The specification is objected to by the Examiner.									
	rawing(s) filed on is/are								
Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a). 11) $\boxtimes$ The proposed drawing correction filed on <u>01 April 2003</u> is: a) $\boxtimes$ approved b) $\square$ disapproved by the Examiner.									
				d b)∐ disapproved by the	e Examiner.				
	proved, corrected drawings are r		Office action.						
•	ath or declaration is objected t	o by the Examiner.							
<del>-</del>	35 U.S.C. §§ 119 and 120			C 440(a) (d) on (f)					
<i>,</i> —	owledgment is made of a clair		under 35 U.S.C.	. 9 119(a)-(u) of (i).					
a)⊠ All	b) Some * c) None of:								
1	Certified copies of the priority			A . C . C . Al-					
2.	Certified copies of the priorit								
3. Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)). * See the attached detailed Office action for a list of the certified copies not received.									
14) Acknowledgment is made of a claim for domestic priority under 35 U.S.C. § 119(e) (to a provisional application).									
<ul> <li>a)          The translation of the foreign language provisional application has been received.     </li> <li>15)          Acknowledgment is made of a claim for domestic priority under 35 U.S.C. §§ 120 and/or 121.     </li> </ul>									
Attachment(s)									
2) Notice of Dr	eferences Cited (PTO-892) raftsperson's Patent Drawing Review Disclosure Statement(s) (PTO-1449)	(PTO-948) Paper No(s)		v Summary (PTO-413) Paper N if Informal Patent Application (P					

#### **DETAILED ACTION**

#### Note

This action is sent as a replacement for the earlier "Final Action" sent on 06/13/03. The time for the applicants response has been reset.

## Drawings

The proposed drawing correction and/or the proposed substitute sheets of drawings, filed on 04/01/03 have been approved. A proper drawing correction or corrected drawings are required in reply to the Office action to avoid abandonment of the application. The correction to the drawings will not be held in abeyance.

## Claim Rejections - 35 USC § 103

The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:

(a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negatived by the manner in which the invention was made.

Claims 22-24, 27-33, 52 are rejected under 35 U.S.C. 103(a) as being unpatentable over Cammenga et al.(U.S. Patent No. 6,166,848) in view of Ito et al.(U.S. Patent No. 4,874,229).

Reqarding claim 22, Cammenga et al. discloses at least one carrier substrate(fig 7F, 112, 114) and a stack of functional layers(fig 7F, 130-184)

Application/Control Number: 09/700,684

Art Unit: 2873

having at least one electrically conducting layer having metal oxide(s)(fig 7F. 187, col 27, line 65 to col 28, line 5 with states that the ITO material can be made from fluoride doped tin oxide), and a multicomponent electrode(fig 7F, 184-125) including at least one electrochemically active layer(fig 7F, 187); at least one higher-conductivity material(fig 7F, 188), and the higher conductivity material having a surface resistance which is lower than the surface resistance of the electrically conducting layer[the higher conductivity layer obviously has a surface resistance which is lower than the surface resistance of the electrically conducting layer since the same materials are used, silver for the higherconductivity layer(col 28, line 26-29), and tin doped idium oxide(col 27, line 65 to col 28, line 5)]. Cammenga et al. does not disclose at least one network of conducting wires. However, Ito et al. discloses at least one network of conducting wires(fig 1, 1 3 and 14) of a diameter of 22um(col 3, line 10), stating that by apply voltage to the electrodes this provides a uniform voltage which exhibits a uniform and rapid coloring(col 3, lines 25-34). It would have been obvious to one skilled in the art, at the time of the invention, to form a network of conducting wires, with a diameter of 22um, as shown by Ito et al., in the optical device of Cammenga et al., since as shown by Ito et al. a network of conducting wires, with a diameter of 22um, are commonly used in conjunction with electrodes, since a net work of conducting wires applies voltage to the electrodes that provides a uniform voltage which exhibits a uniform and rapid coloring.

Reqarding claim 23, Cammenga et al. discloses an electrically controllable system having variable optical properties or variable energy properties or both(abstract and col 11, line 30 through col 12, line 14).

Reqarding claim 24, Cammenga et al. discloses higher-conductivity material comprises at least one layer combined with said electrically conducting layer and in electrical contact therewith(fig 7F, 187, 188),

Reqarding claim 27, Cammenga et al. discloses at least one electrically conducting layer comprises at least one doped metal oxide selected from the group of doped tin oxide, doped zinc oxide and doped indium oxide(col 27, line 65 to col 28, line 5).

Reqarding claim 28, Cammenga et al. does not disclose the doped tin oxide is fluorine doped or antimony doped. It would have been obvious to one having ordinary skill in the art at the time of the invention was made to use a doped tin oxide that is fluorine doped or antimony doped, since it has been held to be within the general skill of a worker in the art to select a known material on the basis of its suitability for the intended use as a matter of obvious design choice. *In re Leshin*, 125 USPQ 416.

Reqarding claim 29, Cammenga et al. does not disclose the doped zinc oxide is flourine doped. It would have been obvious to one having ordinary skill in the art at the time of the invention was made to use a doped zinc oxide is flourine doped, since it has been held to be within the general skill of a worker in the art to select a known material on the basis of its suitability for the intended use as a matter of obvious design choice. *In re Leshin*, 125 USPQ 416.

Reqarding claim 30, Cammenga et al. discloses the doped idium oxide is tin doped(col 27, line 65 to col 28, line 5).

Reqarding claim 31, Cammenga et al. discloses said higher-conductivity material is essentially metallic(col 28, line 48, the metallic layer is silver).

Reqarding claim 32, Cammenga et al. discloses a higher-conductivity material comprises a metal selected from the group consisting of Ag, Au, Cu, Al, and alloys of thereof(col 28, line 48).

Reqarding claim 33, Cammenga et al. discloses multicomponent electrode is essentially transparent in the visible region(col 27, lines 1-33).

Reqarding claim 52, Cammenga et al. discloses the stack of functuional layers arranged between two substrates of glass type(fig 7F, 112, 114).

Claims 38 and 39 are rejected under 35 U.S.C. 103(a) as being unpatentable over Cammenga et al. (U.S. Patent No. 6,166,848) in view of Ito et al.(U.S. Patent No. 4,874,229) as applied to claim 22 above, and further in view of Bunish et al.(U.S. Patent No. 3,800,065).

Regarding claim 38, a modified Cammenga et al., as detailed in claim rejection 22 above, does not specifically disclose the network of conducting wires is made from a metallic nonwoven material. However, Bunish et al. discloses conductors for transmitting current are made from a metallic nonwoven material(col 2, lines 5-9). It would have been obvious to one skilled in the art, at the time of the invention, to use a metallic nonwoven material for the net as shown by Bunish et al., in the optical device of a modified Tonar, since as shown

by Bunish et al. a network made from a metallic nonwoven material is commonly used for conducting current.

Regarding claim 39, a modified Cammenga et al., as detailed in claim rejection 22 above discloses the metallic wires having a diameter of from 10 to 100 um.

Claims 46 and 47 are rejected under 35 U.S.C. 103(a) as being unpatentable over Cammenga et al. (U.S. Patent No. 6,166,848) in view of Ito et al.(U.S. Patent No. 4,874,229), as applied to claim 22 above, and further in view of Maddison(U.S. patent No. 5,554,176).

Regarding claims 46 and 47, a modified Cammenga et al., as detailed in claim rejection 22 above, does not disclose current leads formed from metal shims. However, Maddison discloses current leads formed from metal shims(fig 4, 50). It would have been obvious to one skilled in the art, at the time of the invention, to form current leads formed from metal shims as shown by Ito et al., in the optical device of Cammenga et al., since as shown by Ito et al. current leads formed from metal shims is commonly used in conjunction with electrodes for connecting a power source to the electrodes.

Claims 55 and 56 are rejected under 35 U.S.C. 103(a) as being unpatentable over Cammenga et al. (U.S. Patent No. 6,166,848) in view of Ito et al.(U.S. Patent No. 4,874,229) as applied to claim 52 above, and further in view of Lynam(U.S. Patent No. 6,304,363).

Application/Control Number: 09/700,684

. Art Unit: 2873

Regarding claims 55 and 56, a modified Cammenga et al., as detailed in claim rejection 22 above, does not disclose a device uses a carrier substrate a) at least one rigid constituent substrate of a glazing or b) at least one flexible substrate combined by lamination with one rigid substrate or c) a combination of both. However, Lynam discloses a carrier substrate a) at least one rigid constituent substrate of a glazing or b) at least one flexible substrate combined by lamination with one rigid substrate or c) a combination of both(Col 7, lines 30-42) stating that the glazing assembly may employ an anti lacerative and ultraviolet reducing means(col 7, lines 30-33). It would have been obvious to one skilled in the art, at the time of the invention, to form a carrier substrate with a) at least one rigid constituent substrate of a glazing or b) at least one flexible substrate combined by lamination with one rigid substrate or c) a combination of both as shown by Lynam, in the optical device of Cammenga et al., since as shown by Lynam a carrier substrate with a) at least one rigid constituent substrate of a glazing or b) at least one flexible substrate combined by lamination with one rigid substrate or c) a combination of both. Is commonly used in electrochromic devices for both an ultraviolet reducing means and anti lacerative layer.

# Allowable Subject Matter

Claims 25, 26, 34-37, 40-45, 48-51, 53, 54, 57, 58 are objected to as being dependent upon a rejected base claim, but would be allowable if rewritten

Application/Control Number: 09/700,684

. Art Unit: 2873

in independent form including all of the limitations of the base claim and any intervening claims. With the important features being; the higher conductivity material is incorporated in the electrically conducting layer; or a network having a plurality of conducting strips obtained by screen printing using a paste-like suspension of a silver type metal and a low melting point frit in an organic binder; screen-printing a network onto a glass-type carrier substrate to obtain a screen printed network; or network has a plurality of conducting wires in the form of essentially metallic wires surface-laid on a sheet comprising a thermoplastic polymer; or the network is obtained by etching or perforating a metallic layer or a metallic sheet; or wherein at least one of said at least one electrically conducting layer and said at least one layer comprising said higher-conductivity material are optionally in contact with at least one layer comprising a dielectric material; or comprising a dielectric material has an optical function, a function of anchoring said at least one layer comprising said higher-conductivity material to said carrier substrate or a function as ft barrier to a migration of alkaline species coming from said carrier substrate which is glass; or the material the dielectric is made from; or said multi component electrode comprises a sequence ITO/Ag/ITO or Ag/ITO with optional interposition of at least one thin layer of partially oxidized metal at an Ag/ITO interface; or the exact order of the functional layers.

# Response to Arguments

Applicant's arguments with respect to claims 22 have been considered but are most in view of the new ground(s) of rejection.

#### Conclusion

Applicant's amendment necessitated the new ground(s) of rejection presented in this Office action. Accordingly, THIS ACTION IS MADE FINAL. See MPEP § 706.07(a). Applicant is reminded of the extension of time policy as set forth in 37 CFR 1.136(a).

A shortened statutory period for reply to this final action is set to expire THREE MONTHS from the mailing date of this action. In the event a first reply is filed within TWO MONTHS of the mailing date of this final action and the advisory action is not mailed until after the end of the THREE-MONTH shortened statutory period, then the shortened statutory period will expire on the date the advisory action is mailed, and any extension fee pursuant to 37 CFR 1.136(a) will be calculated from the mailing date of the advisory action. In no event, however, will the statutory period for reply expire later than SIX MONTHS from the date of this final action.

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Timothy J. Thompson whose telephone number is (703) 305-0881. If the examiner can not be reached his supervisor, Georgia Epps, can be reached on (703) 308-4883.

T.J.T.

8/13/03

PRIMARY EXAMINER